

FitNesse Cheat Sheet

Command Line options

```
java -jar fitness.jar
Define port number           -p 8888
Disable versioning (zip files) -e 0
```

Character Formatting

```
Comment           #text
Italics            " text "
Bold               "" text ""
Strike-Through    -- text --
As/Is-escaping   !- CamelCaseNoLink -!
```

Line & Block Formatting

```
Horizontal line    ----
Note               !note text
Headings           !1 largest heading text
                   up to
                   !6 smallest heading text
Centered           !c text
Collaps expanded  !* [Title]
Multi-line wiki text
                   *!
Collaps collapsed !*> [Title]
Multi-line wiki text
                   *!
```

Links & Includes

```
Contents tree     !contents -R2 -g
Last Modified     !lastmodified
Include page      !include -c AnyPagePath
Picture insert    !img url-to-image-file
Cross reference   !see AnyPagePath
```

SLIM Fixtures

By default Decision Table:
Prevent wikification: !! fixture specification |

SLIM Decision Table

```
!! Order a snack |
| quantity | snack | for user | result? |
| 1        | Pizza | Joe    | success |
```

SLIM Query Table

```
!! Query: Get todays orders |
| quantity | snack | price |
| 1        | Pizza | € 5,3 |
```

SLIM Script Table

```
!! Script | Given |
| a user | Joe | with credits | 10 | |
| check | that credits for | Joe | is | 10 |
| show | todays total order price |
| ensure | that no one has negative credits |
```

Value Comparisions

```
!! Some Decision Table |
| input | output? |
| 3     | <5      |
| 5     | >=3     |
| 8     | 3<_<9  |
You can use all the normal operators:
<,>,<=,>=,! =,
~ = means approximately equal (for float)
```

Page Navigation

```
Child           >ChildPage
Sister          SisterPage
Top             .TopPage
SomePath        .TopPage.PathToPage
Parent          <ParentPage
```

Special Pages

```
/root           Good place to put initialization
SetUp           Called before each test
TearDown        Called after each test
SuiteSetUp      Called before suite execution
SuiteTearDown   Called after suite execution
```

Using Variables

```
| Some Decision Table |
| input                | output?          |
| 3                    | $VariableName=  |
| $VariableName        | 8                |
```

Import namespaces

To shorten fixture names in your testpages:
!! Import |
| YourNameSpace |

More info

UserGuide
<http://fitnesse.org/FitNesse.UserGuide>

Real world example

<http://AgileAcceptanceTesting.GoogleCode.com>